


JUMBOTEX

- Trevira CS fabric in an extraordinary width of up to 460 cm for expansive windows
- Oeko-Tex® Standard 100 certified, free from harmful substances
- Proven acoustic properties

APPLICATIONS







Not suitable: SG 4905,
SG 4900, SG 4907



FABRIC PROPERTIES

	900	929
 Semi transparent		
 Polyester Trevira CS		
 512 g/m ²		545 g/m ²
 0.80 mm		0.85 mm
 ← max. → 460 cm		
 500 cm		

FEATURES / TECHNICAL PROPERTIES

	900	929
 5-6		6-7
 Alpha-w = 0.60		
 Flame retardant		
 Oeko-Tex		
 Special colours from 1'000 m		

WASHING INSTRUCTIONS



FLAME RETARDANT

B-s1,d0 (EN 13501-1)
Class 1 (UNI 8456)
B1 (DIN 4102-1)
Type C (BS 5867-2)



Jumbotex
OPTICAL AND SOLAR COEFFICIENTS ($\pm 5\%$, DIN EN 410)

Colour	T_V	T_S	R_S	A_S	F_C	g_{tot}
900	25.1	24.1	72.7	3.2	0.47	0.34
929	3.4	12.6	53.3	34.1	0.59	0.42

T_V Visible light transmission

R_S Solar reflectance


F_C Shading factor

T_S Solar transmission

A_S Solar absorption

g_{tot} Total g-value

$F_C + g_{tot}$: Value calculated with glass: $0.72 / U_g = 1.6 \text{ W/m}^2 \text{ K}$, DIN EN 13363-1



Colours shown are not binding